

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S13	1	717/128.ccls. break \$1point constructor class ((halt\$4 or suspen\$6 or stop \$4) near5 execut \$4) (constructor near9 class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/06 05:13
S12	28	((halt\$4 or suspen \$6 or stop\$4) near5 execut\$4) (constructor near9 class) ((break \$1point or hit\$4 or count\$4 or threshold) near5 constructor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/06 05:12
S11	10	((halt\$4 or suspen \$6 or stop\$4) near5 execut\$4) (constructor near9 class) (break \$1point same (hit\$4 or count\$4 or threshold or class or constructor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/06 04:54
S10	9	((halt\$4 or suspen \$6 or stop\$4) near5 execut\$4) (constructor near9 class) (break \$1point same (hit\$4 or count\$4 or threshold or constructor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/06 04:53
S9	8	((halt\$4 or suspen \$6 or stop\$4) near5 execut\$4) (constructor near9 class) (break \$1point same constructor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/06 04:52

S8	230	((halt\$4 or suspen\$6 or stop\$4) near5 execut\$4) (constructor near9 class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/06 04:50
S7	23	(debug\$4 same break\$1point\$1) ((halt\$4 or suspen\$6 or stop\$4) near5 execut\$4) (constructor near9 class) (constructor near9 (break\$1point\$1 or count\$3 or threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/04 12:35
S6	3	09/997990 memory medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/04 12:13
S5	6	(debug\$4 near9 break\$1point\$1) ((halt\$4 or suspen\$6 or stop\$4) near5 execut\$4) break\$1point\$1 (count\$4 or threshold) (constructor near9 class) (constructor near9 (break\$1point\$1 or count\$3 or threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/04 12:13
S4	22	debug\$4 class ((halt\$4 or suspen\$6 or stop\$4) near5 execut\$4) break\$1point\$1 (count\$4 or threshold) (constructor near9 (class or instance or object)) (constructor near9 (break\$1point\$1 or count\$3 or threshold))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/04 11:57

S3	49	debug\$4 class ((halt \$4 or suspen\$6 or stop\$4) near5 execut\$4) break \$point\$4 (count\$4 or threshold) (constructor near9 (class or instance or object))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/04 11:56
S2	529	debug\$4 class ((halt \$4 or suspen\$6 or stop\$4) near5 execut\$4) break \$point\$4 (count\$4 or threshold)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/04 11:55
S1	2358	debug\$4 class ((halt \$4 or suspen\$6 or stop\$4) near5 execut\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/08/04 11:54

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S21	4	717/158.ccls. ((constructor or class or halt\$4 or stop\$4 or suspen\$6) break \$1point).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:59
S20	12	717/130.ccls. ((constructor or class or halt\$4 or stop\$4 or suspen\$6) break \$1point).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:53
S19	2	717/130.ccls. ((constructor or class) break\$1point).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:52
S18	15	717/129.ccls. (break \$1point (constructor or class)).clm. ((halt \$4 or suspen\$6 or stop\$4) near9 execut\$4).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:45

S17	76	717/129.ccls. (break \$1point (constructor or debug\$4 or class)). clm. (halt\$4 or suspen\$6 or stop\$4). clm.	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:44
S16	95	717/129.ccls. (break \$1point).clm. (halt\$4 or suspen\$6 or stop \$4).clm.	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:44
S15	16	717/128.ccls. (break \$1point).clm. ((halt\$4 or suspen\$6 or stop \$4) near5 execut\$4)	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:14
S14	2	717/128.ccls. break \$1point constructor class ((halt\$4 or suspen\$6 or stop\$4) near5 execut\$4)	US-PGPUB; USPAT; UPAD	AND	ON	2009/08/06 05:14

**8/6/2009 6:02:16 AM**

**C:\Documents and Settings\tdao1\My Documents\EAST\Workspaces\0070 09 997 990 object oriented breakpoints.wsp**